

# SAFETY DATA SHEET

## 1. Identification

Product identifier	1610 AcryPlex Interior 100% Acrylic Low VOC Eggshell Enamel (-121, -222, -333, -555)
Other means of identification	None.
Recommended use	Architectural Coating, Interior.
<b>Recommended restrictions</b>	None known.

#### Manufacturer/Importer/Supplier/Distributor information

Company name	Kelly-Moore Paint Co., Inc.
Address	987 Commercial St., San Carlos, CA 94070
Telephone	1-800-874-4436
E-mail	TAlvarez@kellymoore.com
Contact person	Tiffany Alvarez Gonda
Emergency phone number	CHEMTREC: 1-800-424-9300

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
OSHA defined hazards	Not classified.	
Label elements		



	$\mathbf{v}$
Signal word	Warning
Hazard statement	May cause an allergic skin reaction.
Precautionary statement	
Prevention	Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Titanium dioxide	13463-67-7	< 27
Ammonia, anhydrous	7664-41-7	< 1
Hexanedioic Acid Dihydrazide	1071-93-8	< 1
3-lodo-2-propynyl butyl carbamate	55406-53-6	< 0.1
5-Chloro-2-methyl-2,3-dihydroi sothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol- 3-one (3:1)	55965-84-9	< 0.1

Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.	
4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery flush area with water	

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

recovery, flush area with water.

#### 7. Handling and storage

Precautions for safe handlingAvoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged<br/>exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe<br/>good industrial hygiene practices.Conditions for safe storage,<br/>including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10<br/>of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air	IA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)		
Components	Туре	Value	
Ammonia, anhydrous (CAS	PEL	35 mg/m3	
7664-41-7)			

Components	Туре	Value
		50 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
Ammonia, anhydrous (CAS 7664-41-7)	STEL	35 ppm
	TWA	25 ppm
US. NIOSH: Pocket Guide to	o Chemical Hazards	
Components	Туре	Value
Ammonia, anhydrous (CAS 7664-41-7)	STEL	27 mg/m3
,		35 ppm
	TWA	18 mg/m3
		25 ppm
ological limit values	No biological exposure limits noted for	r the ingredient(s).
propriate engineering ntrols	should be matched to conditions. If ap or other engineering controls to mainta	air changes per hour) should be used. Ventilation rates oplicable, use process enclosures, local exhaust ventilatio ain airborne levels below recommended exposure limits. shed, maintain airborne levels to an acceptable level.
	such as personal protective equipme	
Eye/face protection	Use safety glasses, goggles, or face s	shield to protect eyes.
Skin protection Hand protection	Wear appropriate chemical resistant g	jloves.
Skin protection		
Other	Wear appropriate chemical resistant of	clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear	r suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective c	lothing, when necessary.
neral hygiene nsiderations	and before eating, drinking, and/or sm	ne measures, such as washing after handling the materia noking. Routinely wash work clothing and protective Contaminated work clothing should not be allowed out of
Physical and chemical	properties	
pearance	Milky white to colored liquid.	
Physical state	Liquid.	
Form	Liquid.	
Color	Various.	
lor	Slightly ammoniacal.	
or threshold	Not available.	
	7 - 10	
Iting point/freezing point	Not available.	
tial boiling point and boiling lige	Not available.	
ish point	Not available.	
aporation rate	< 1 (n-BuAc=1)	
mmability (solid, gas)	Not applicable.	
per/lower flammability or exp	losive limits	
Flammability limit - lower	Not available.	

(%)

Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (Air=1)
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Moderately soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC	0.19 - 1.72 g/L
10. Stability and reactivity	
Depativity	The product is stable and non-reactive under normal conditions of use, storage and transport

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon oxides. Metal oxides.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	May cause an allergic skin reaction.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	cts		
Acute toxicity	Not expected to be acutely toxic.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Inhalation of titanium dioxide dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.		
IARC Monographs. Overall E	valuation of Carcinogenicity		
Titanium dioxide (CAS 13463-67-7)2B Possibly carcinogenic to humans.NTP Report on Carcinogens			
Not listed. OSHA Specifically Regulated Not regulated.	I Substances (29 CFR 1910.1001-1053)		

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	
Ecotoxicity	Harmful to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available for this product.
Mobility in soil	This product is moderately water soluble and may disperse in soil.
Other adverse effects	None known.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

US federal regulations	Standard, 2	9 CFR 1910.12		d by the OSHA Hazard ory List.	Communication
TSCA Section 12(b) Ex	port Notification (	40 CFR 707, Su	ıbpt. D)		
Not regulated. CERCLA Hazardous S	ubstance List (40	CFR 302.4)			
Ammonia, anhydroi SARA 304 Emergency	<b>`</b>		Listed.		
Ammonia, anhydrous (CAS 7664-41-7) 100 LBS					
OSHA Specifically Reg	julated Substance	s (29 CFR 1910	.1001-1053)		
Not regulated.					
Superfund Amendments a	nd Reauthorizatio	n Act of 1986 (S	SARA)		
SARA 302 Extremely h	nazardous substar	ice			
Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Ammonia, anhydrous	7664-41-7	100	500		

1610 AcryPlex Interior 100% Acrylic Low VOC Eggshell Enamel (-121, -222, -333, -555) 940925 Version #: 01 Revision date: - Issue date: 15-May-2018

SARA 311/312 Hazardous Yes chemical **Classified hazard** Respiratory or skin sensitization categories SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Ammonia, anhydrous (CAS 7664-41-7) Safe Drinking Water Act Not regulated. (SDWA) **US state regulations US. Massachusetts RTK - Substance List** Ammonia, anhydrous (CAS 7664-41-7) Kaolin (CAS 1332-58-7) Limestone (CAS 1317-65-3) Silicon dioxide, crystalline silica-free (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) US. New Jersey Worker and Community Right-to-Know Act 3-lodo-2-propynyl butyl carbamate (CAS 55406-53-6) Ammonia, anhydrous (CAS 7664-41-7) Kaolin (CAS 1332-58-7) Limestone (CAS 1317-65-3) Silicon dioxide, crystalline silica-free (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) US. Pennsylvania Worker and Community Right-to-Know Law Ammonia, anhydrous (CAS 7664-41-7) Kaolin (CAS 1332-58-7) Limestone (CAS 1317-65-3) Silicon dioxide, crystalline silica-free (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) **US. Rhode Island RTK** Ammonia, anhydrous (CAS 7664-41-7) Kaolin (CAS 1332-58-7) Limestone (CAS 1317-65-3) Titanium dioxide (CAS 13463-67-7) **California Proposition 65** WARNING: This product can expose you to chemicals including Ethylene oxide: Trichloroethylene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. California Proposition 65 - CRT: Listed date/Carcinogenic substance 1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988 Acetaldehyde (CAS 75-07-0) Listed: April 1, 1988 Dibromoacetonitrile (CAS 3252-43-5) Listed: May 3, 2011 Ethylbenzene (CAS 100-41-4) Listed: June 11, 2004 Ethylene oxide (CAS 75-21-8) Listed: July 1, 1987 Methyloxirane (CAS 75-56-9) Listed: October 1, 1988 Quartz (CAS 14808-60-7) Listed: October 1, 1988 Sulfuric acid (CAS 7664-93-9) Listed: March 14, 2003 Trichloroethylene (CAS 79-01-6) Listed: April 1, 1988 California Proposition 65 - CRT: Listed date/Developmental toxin Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009 Trichloroethylene (CAS 79-01-6) Listed: Jan 31, 2014 California Proposition 65 - CRT: Listed date/Female reproductive toxin Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987 California Proposition 65 - CRT: Listed date/Male reproductive toxin Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Trichloroethylene (CAS 79-01-6)

Listed: Jan 31, 2014

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ammonia, anhydrous (CAS 7664-41-7) Titanium dioxide (CAS 13463-67-7)

#### International Inventories

#### Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)\*

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	15-May-2018
Revision date	-
Version #	01
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
List of abbreviations	PEL: Permissible Exposure Limit. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.
Disclaimer	Kelly-Moore Paint Co., Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.