Genlabs	OSHA
29 CFR 1910.1200	-

Identity # 02058	Name	DUST MOP TRE	ATMENT	
Section 1 Manufacturer's Name - Genlabs ( Address - 5568 Schaefer Ave. En City - Chino State - CA	nergency P	hone (Chemtre hone -		1
Date Prepared- 12/19/2006				
Section 2 - Hazardous Ingredients/Ide	ntity Informa	tion		
Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight% (Optional)
Aliphatic Hydrocarbon	8052413	100PPM	100PPM	
Note:				
VOC Content- 53.3 g/L				
Section 3 - Physical/Chemical Characte	eristics			
Boiling Point- >212 F		Specific Gravity- 0.820		
Vapor Pressure - Not Tested Vapor Density - Not Tested		Melting Point - Not Tested Evaporation Rate - Not Tested		
Solubility In Water- Insoluble				
Appearance and Odor- YELLOWIS	HSOLVENT		WITH BANANA O	DOR.
Section 4 - Fire and Explosion Hazard	Data			
Flash Point- 195 F	Flammable Limits - Not Tested			
LEL- Not Tested		UEL- Not Tested		
pH- N/A		DOT# CON	<b>MBUSTIBLE</b>	
NFPA Hazard Rating - H F (0- Least, 4- Extreme) 1 1	R S 0 0	HMIS Hazard Ra	ting - H F 1 ´	= R I 0
Extinguishing Media- CO2, DRY FOA				
Special Fire Fighting Procedures NON	E			
Unusual Fire and Explosion Hazards-	NONE			
Section 5 - Reactivity Data				
Stability - Stable Conditions to Avoid - None				
Incompatible Materials to Avoid- WATER, STRONG OXIDIZERS, FLAMES, SPARKS, HEAT				
Hazardous Decomposition or Byprodu Hazardous Polymerization- NONE	icts- CO,	, CO2		

Conditions to Avoid- None

## Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

# 02058

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Irritant

Ingestion-Toxic, Do Not Induce Vomitting, Call Physician

Inhalation- Dizziness, Headaches, Irritation

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure

**Emergency and First Aid Procedures** 

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water, If Irritation Persists, Call Physician

Ingestion- Do Not Induce Vomitting, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

E.