

# Part of Thermo Fisher Scientific

# SAFETY DATA SHEET

Creation Date 05-Oct-2010	Revision Date 11-Aug-2014	Revision Number 1				
	1. Identification					
Product Name	Lithium nitrate					
Cat No. :	L132-500					
Synonyms	Nitric acid, lithium salt (Powder/Certified)					
Recommended Use	Laboratory chemicals.					
Uses advised against Details of the supplier of the safety	No Information available					
<b>Company</b> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887					

2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	Category 3
Acute oral toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 2

Label Elements

Signal Word Warning

Hazard Statements May intensify fire; oxidizer Harmful if swallowed Causes serious eye irritation



### Precautionary Statements

### Prevention

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

Wash face, hands and any exposed skin thoroughly after handling

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Fire

Explosion risk in case of fire

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion

### Storage

Store in a well-ventilated place. Keep cool

### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition / information on ingredients

Component	CAS-No	Weight %
Lithium nitrate	7790-69-4	>95

4. First-aid measures							
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.						
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.						
Inhalation	ove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth suscitation if victim ingested or inhaled the substance; induce artificial respiration with a spiratory medical device. Obtain medical attention.						
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.						
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically						
5. Fire-fighting measures							
Suitable Extinguishing Media	Water spray.						
Unsuitable Extinguishing Media	No information available						
Flash Point Method -	No information available No information available						
Autoignition Temperature	No information available						
Explosion Limits Upper	No data available						

Lower	No data available
Oxidizing Properties	Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### Hazardous Combustion Products

### Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NOx)

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA							
Health 2	Flammability	Instability 2	Physical hazards OX				
-	•	L					
	6. Accidental rele	ase measures					
Personal Precautions	Use personal protective equip Avoid contact with skin, eyes		lation. Avoid dust formation.				
Environmental Precautions	Avoid release to the environm						
Methods for Containment and Clea Up	an Keep away from clothing and and collect in suitable contain						
	7. Handling ar	nd storage					
Handling	Wear personal protective equ Avoid contact with skin, eyes clothing and other combustibl	and clothing. Avoid ingestion	tilation. Avoid dust formation. and inhalation. Keep away from				
Storage	Keep containers tightly closec combustible materials.	d in a dry, cool and well-ventil	ated place. Do not store near				
8. E	Exposure controls / p	personal protectio	n				
Exposure Guidelines	This product does not contain established by the region spe		h occupational exposure limits				
Engineering Measures	Ensure adequate ventilation, and safety showers are close		Ensure that eyewash stations				
Personal Protective Equipment							
Eye/face Protection	Wear appropriate protective e OSHA's eye and face protecti EN166.						
Skin and body protection	Wear appropriate protective g	loves and clothing to prevent	skin exposure.				
Respiratory Protection	Follow the OSHA respirator re EN 149. Use a NIOSH/MSHA exposure limits are exceeded	or European Standard EN 14					
Hygiene Measures	Handle in accordance with go	od industrial hygiene and saf	ety practice.				

9. P	hysical and chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	251 °C / 483.8 °F
Boiling Point/Range	600 °C / 1112 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	2.4
Relative Density	2.380
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	> 600°C
Viscosity	No information available
Molecular Formula	Li N O3
Molecular Weight	68.95

# 10. Stability and reactivity

Reactive Hazard	Yes
Stability	Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Combustible material. Exposure to moist air or water.
Incompatible Materials	Strong oxidizing agents, Strong reducing agents, Acids
Hazardous Decomposition Product	ts Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Nitrogen oxides (NOx)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

## 11. Toxicological information

## Acute Toxicity

# Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation					
Lithium nitrate	1426 mg/kg (Rat)	426 mg/kg (Rat) >2000 mg/kg (Rat) Not listed						
Foxicologically Synergistic	No information available							
Products								
Delayed and immediate effects	as well as chronic effects from	short and long-term exposure	<u>e</u>					
Irritation	Irritating to eyes	Irritating to eyes						
Sensitization	No information available							
Carcinogenicity	The table below indicates v	vhether each agency has listed a	any ingredient as a carcinogen					

Component	CAS-No	IARC	NTP	ACGIH Not listed	OSHA	Mexico		
Lithium nitrate	7790-69-4	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects Reproductive Effect	ts	No information ava						
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity No information available.								
STOT - single exposureNone knownSTOT - repeated exposureNone known								
Aspiration hazard		No information ava	ailable					
Symptoms / effects delayed	s,both acute and	No information ava	ailable					
Endocrine Disrupto	r Information	ation No information available						
Other Adverse Effects The toxicological properties have not been fully investigated complete information.						ntry in RTECS for		
		12. Ecol	ogical infor	mation				
Ecotoxicity Do not empty into dra	ains.							
Persistence and De Bioaccumulation/ A		No information ava						
Mobility		No information available.						
Waste Disposal Met	thods		Chemical waste g	termine whether a generators must als	so consult local, reg	gional, and		

# 14. Transport information

UN2722
LITHIUM NITRATE
5.1
III
UN2722
LITHIUM NITRATE
5.1
111
UN2722
LITHIUM NITRATE
5.1
111
UN2722
LITHIUM NITRATE
5.1
III

## 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Lithium nitrate	Х	Х	-	232-218-9	-		Х	Х	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Lithium nitrate	7790-69-4	>95	1.0

### SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	Yes

# Clean Water Act Not applicable

### Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

### CERCLA

Not applicable

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lithium nitrate	-	Х	-	Х	-

### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade

No information available

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

C Oxidizing materials D1B Toxic materials D2B Toxic materials

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com



## 16. Other information

Prepared By

Creation Date Revision Date Print Date Revision Summary 05-Oct-2010 11-Aug-2014 11-Aug-2014 This document has been undated to comply with the US OSHA Haz(

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# End of SDS