

# SUMA BREAK UP SC Heavy Duty Foaming Grease-Release Cleaner

Version Number: 1

Preparation date: 2016-11-11

# 1. IDENTIFICATION

Product name:

SUMA BREAK UP SC Heavy Duty Foaming Grease-Release Cleaner

**Product Code:** 

95192347 MS0801041

SDS #: Recommended use:

· Industrial/Institutional

· Heavy Duty Cleaner and Degreaser

Uses advised against:

Uses other than those identified are not recommended

Canadian Headquarters

Phone: 1-800-668-7171

Mississauga, Ontario L5L 0B3

Sealed Air - Canada

3755 Laird Road

Manufacturer, importer, supplier:

US Headquarters Sealed Air

8215 Forest Point Blvd. Charlotte, NC 28273-5509

Phone: 1-888-352-2249

SDS Internet Address: https://sds.sealedair.com

1-800-851-7145; 1-651-917-6133 (Int'I)

## 2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation

Category 1B

Serious eye damage/eye irritation

Emergency telephone number:

Category 1

Metal Corrosion:

Category 1



Signal Word:

Danger.

**Precautionary Statements** 

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear, IF SWALLOWED: Rinse mouth, DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable SUMA BREAK UP SC Heavy Duty Foaming Grease-Release Cleaner



Classification for the diluted product @ 1:60

his product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Precautionary Statements

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Classified Ingredients** 

	36/a (a) ba 6/
CAS#	Weight %
61789-40-0	5 - 10%
	5 - 10%
	3 - < 5%
	1 - < 3%
	1 - < 3%
	1 - < 3%
<u></u>	1-<376
	CAS # 61789-40-0 68439-46-3 1643-20-5 10213-79-3 1310-58-3 7647-14-5

<sup>\*</sup>Exact percentages are being withheld as trade secret information

# 4. FIRST AID MEASURES

# Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

# Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Skin: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

# 5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

Not applicable.

Specific hazards:

Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions** and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. Do not mix with any other product or chemical. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable): Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Cocamidopropyl betaine	61789-40-0		•
Alcohol ethoxylates	68439-46-3	-	-
Lauryl dimethyl amine oxide	1643-20-5	-	•
Disodium metasilicate pentahydrate	10213-79-3	-	
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	
Sodium chloride	7647-14-5	-	-

### **Undiluted Product:**

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves.

Skin and body protection: Respiratory protection:

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hyglene measures:

Handle in accordance with good industrial hygiene and safety practice.

### Diluted Product:

Personal Protective Equipment

Eye protection: Hand protection:

No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions.

Skin and body protection: Respiratory protection: Hygiene measures:

No personal protective equipment required under normal use conditions. Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear Pale Yellow

Evaporation Rate: No information available

Odor: Surfactant

Odor threshold: No information available.

Boiling point/range: Not determined

Melting point/range: Not determined

Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available Solubility: Completely Soluble

Density: 8.78 lbs/gal 1.053 Kg/L Bulk density: No information available Relative Density (relative to water): 1.053 Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.4 °C Dilution Flash Point; > 200 °F > 93.4 Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

Viscosity: No information available

pH: 13.9

VOC: 0 % \*

Dilution pH: 11.36 @ 1:60

VOC % by wt. at use dilution 0 % \*

Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable

Metal Corrosion: Category 1

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity:

Not Applicable

Stability:

Possibility of hazardous reactions:

Materials to avoid:

Hazardous decomposition products:

Conditions to avoid:

The product is stable

May vigorously react with acids resulting in spattering and excessive heat.

None reasonably foreseeable.

Strong acids. Do not mix with any other product or chemical unless specified in the use directions.

No information available.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg):

4200

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste.

Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (dlluted product): Not Regulated

Contaminated Packaging: Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (disodium trioxosilicate, potassium hydroxide), 8, III, LTD. QTY.

# 15. REGULATORY INFORMATION

## International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Cocamidopropyl betaine	61789-40-0	-	-	-	•
Alcohol ethoxylates	68439-46-3	-	-		<u>-</u>
Lauryl dimethyl amine oxide	1643-20-5	<del></del>	•	<del>-</del>	-
Methyl glycine diacetic acid 3Na-salt	164462-16-2		-	-	•
Disodium metasilicate pentahydrate	10213-79-3		-	-	-
Potassium hydroxide	1310-58-3	X	X	X	X
Sodium chloride	7647-14-5		-	-	_

#### CEDCLA/SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (Ibs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	1 - < 3%	1000		

### SARA 311/312 Hazard Categories

Immediate:

X

Delayed:

\_

Fire:

-

Reactivity:

-

Sudden Release of Pressure:

Canadian Regulations

## 16. OTHER INFORMATION

# NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Version Number: 1

Preparation date: 2016-11-11

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.