

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 1086

IDENTITY: G-A-POWER FOAM 20A

Revision Date: 06/01/04

Section I

Manufacturer's FOR American Industrial Supply, Inc.
Address: 8714 Darby Ave.
Northridge, CA 91325

Telephone Numbers:
Emergency:
800/255-3924
Information:
818/841-7788

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: 1

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
CARBON DIOXIDE	124-38-9	5000 PPM	5000 PPM	N/A	---
D-LIMONENE	5989-27-5	N/A	N/A	N/A	---
ISOPARAFINIC HYDROCARBON	64742-47-8	300 PPM	300 PPM		---
PROPANE *	74986	1000 PPM	N/A	N/A	---
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT
TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING
AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	352 F	Specific Gravity (water=1)	0.85
Vapor Pressure(mm Hg)	2	Melting Point:	N/A
Vapor Density(AIR=1)	4.7	Evaporation Rate:	1
Solubility in Water:	100	(Butyl Acetate=1)	

Appearance and Odor: CITRUS ODOR, CLEAR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):155 F TCC Flammable Limits: LEL:.7 UEL: 6.1
Extinguishing Media: CO2,
Special Fire Fighting Procedures: CLASS B FIRE PROCEDURES

Unusual Fire and Explosion Hazards: COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT,
SPARKS, AND OPEN FLAMES. FLASH POINT IS BASED ON LIQUID LESS PROPELLANT.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 1086

Stability: Unstable: Conditions to avoid: NONE KNOWN
Stable: X
Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS. SKIN & EYES: WILL DEFAT
AND IRRITATE EYES AND SKIN. INGESTION: WILL CAUSE NAUSEA AND/OR DIARRHEA.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE VICTIM TO FRESH AIR
SKIN: RINSE WITH SOAP AND WATER. EYES: RINSE WITH WATER FOR 15 MINUTES.
INGESTION: GIVE SMALL GLASS OF WATER OR MILK. DO NOT INDUCE VOMITING. SEE
PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: REMOVE ANY
SOURCE OF HEAT, FLAME, OR SPARKS. EVACUTE AFFECTED AREA. MOP UP WITH
APPROPRIATE ABSORBENT MATERIAL. AVOID BREATHING FUMES VENTILATE AREA.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT,
SPARKS AND FLAME. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION.
STORE IN ACCORDANCE WITH NEPA, STATE AND LOCAL GUIDELINES.

Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF MIST OR VAPOR
AND CONTACT WITH SKIN.

Section VIII: CONTROL MEASURES

Respiratory Protection: NOISH APPROVED RESPIRATOR PROTECTION IF NEEDED.

Ventilation: Local Exhaust:N/A

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: RUBBER OR PLASTIC RESISTANT TO OIL.

Eye Protection: SPLASHING CONDITIONS - GOGGLES

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

N/A