L'ORÉAL USA MATERIAL SAFETY DATA SHEET

MSDS # 09-053

MSDS DATE: August 5, 2009

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

L'Oreal USA Products, Inc. 111 Terminal Avenue Clark, NJ 07066 Emergency Telephone Number 800-535-5053 (International: 352-323-3500)

For further information: 732-499-2741

Product Name: Aqueous cosmetic liquids -- creams, gels and lotions containing <24% alcohol

Recommendations on use: Personal care product used as a topical skin application for moisturization, sun protection and/or cosmetic skin treatment.

CAUTION: Avoid fire, flame, heat and other sources of ignition. For external use only. Use only as directed. Keep out of reach of children. Liquid dispensed from the container may be considered flammable until dry.

SECTION 2: HAZARDS IDENTIFICATION

Cream, lotion or gel intended to be used as a topical skin application.

Do not store at temperatures above 120 F. Avoid fire, flame and other sources of ignition.

OSHA Flammable liquid; **DOT** <u>Exempt</u> as Class 3 flammable liquid; **WHMIS** Class B Division 2 flammable liquid; **NFPA** Flammable Liquid Class IC

Causes eye irritation if product comes in contact with eyes. Over-exposure may cause skin irritation. Ingestion may produce signs of alcohol intoxication.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:	CAS NO.	<u>% WT</u>
Ethyl Alcohol	64-17-5	2 – 23.5
Cyclopentasiloxane	541-02-6	<1 23

All other ingredients contained in this product are non-hazardous according to the Occupational Safety and Health Administration and applicable domestic/international transport safety regulations.

SECTION 4: FIRST AID MEASURES

EYES: Immediately flush with water for at least fifteen minutes. Seek medical attention if irritation or other symptoms occur.

SKIN: Wash off with water and soap. If irritation develops and persists, seek medical attention.

INGESTION: If swallowed, do not induce vomiting. Consult a physician immediately.

INHALATION: Move to fresh air. If irritation symptoms persist, get medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: No special remarks.



SECTION 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam, and/or water spray. However, selection of a fire extinguisher should also be appropriate to address the location of the fire and equipment involved.

SPECIAL FIRE FIGHTING PROCEDURES: Treat as NFPA Flammable Liquid Class IC. Follow National Fire Protection Association Guidelines.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Observe all appropriate precautions for handling flammable materials.

HAZARDOUS DECOMPOSITION PRODUCTS: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Eliminate all sources of ignition. Dike and contain the free liquid and absorb on vermiculite or spill pillows. Place spent absorbents in UN specification drums for disposal. All precautions associated with controlling a flammable liquid should be employed during clean-up.

PERSONAL PROTECTIVE EQUIPMENT: Plastic or rubber gloves and apron may be required for clean-up of large spills. Respiratory protection may need to be utilized, depending upon the size of the spill.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Flammable until dry. Do not use or store near heat, fire, flame and other sources of ignition. Do not store at temperatures above 120°F. Avoid spraying in eyes. Store bulk quantities in a cool, well-ventilated room. Limit inventory to the extent possible.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: None required for product use. For handling large quantities of material, such as in the manufacturing of product, ventilation should be utilized. This ventilation should be compatible with the control of flammable materials.

VENTILATION: Local exhaust ventilation is not typically required for product use. For handling large quantities of material, such as in the manufacturing of product -- Local Exhaust: Explosion proof. Mechanical (general): Explosion proof.

RESPIRATORY PROTECTION: Respiratory protection is not required for product use. For manufacturing of product, respiratory protection may be considered. Ensure that the respirator meets current local occupational health and safety standards. Organic vapor cartridges should be utilized with filtering respiratory protection.

EYE PROTECTION: None required for product use. For handling of large quantities of liquid material, safety glasses with side shields/goggles are recommended.

SKIN PROTECTION: None required for product use. For handling large quantities of material, such as in product manufacturing, plastic or rubber gloves should be considered for use.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required for product use. Tyvek clothing may also be suitable for handling large quantities of material in the manufacturing environment.

WORK HYGIENIC PRACTICES: Ensure all work surfaces are maintained, to prevent contamination.



Occupational Exposure Values:

OSHA PEL-TWA:
ACGIH TLV-TWA:
OSHA PEL/ACGIH TLV STEL:
OSHA PEL/ACGIH TLV CEILING:

1000 ppm Ethanol ; none cyclopentasiloxane 1000 ppm Ethanol ; none cyclopentasiloxane None Established None Established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Colored or clear slightly viscous liquid with a mild, pleasant fragrance

PHYSICAL STATE: Product dispensed as a cream, lotion or gel

BOILING POINT: F: 173 (as ethanol) C: 78.3 (as ethanol)

MELTING POINT: F: N/A C: N/A

FREEZING POINT: F: N/A C: N/A

VAPOR PRESSURE (mmHg): @ 70 F: 44 (as ethanol) @ 21 C: 44 (as ethanol)

VAPOR DENSITY (AIR = 1): @ 70 F: >1; @ 21 C: >1

SPECIFIC GRAVITY (H2O = 1): >1

EVAPORATION RATE: >1 (Butyl acetate = 1)

SOLUBILITY IN WATER: Soluble

FLAMMABLE LIMITS IN AIR (% BY VOLUME): ETHANOL, UPPER: 19% LOWER: 3.3%;

FLASH POINT: 80-140 F; 26-60 C METHOD USED: Closed Cup

AUTOIGNITION TEMPERATURE: F: N/A C: N/A

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable.

CONDITIONS TO AVOID (STABILITY): Heat, fire, flame and other sources of ignition.

INCOMPATIBILITY (MATERIAL TO AVOID): Oxidizing agents and nitric acid.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None known.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None known



SECTION 11: TOXICOLOGICAL INFORMATION

CARCINOGENICITY:

OSHA:Not recognized as carcinogenicNTP:Not recognized as carcinogenicACGIH:Not recognized as carcinogenicIARC:Not recognized as carcinogenic

ROUTES OF EXPOSURE:

Inhalation, eyes, skin

POTENTIAL HEALTH EFFECTS:

EYES: Irritation INGESTION: Harmful if swallowed. May produce signs of alcohol intoxication SKIN: Overexposure may cause skin irritation INHALATION: May be irritating if overexposure occurs

ACUTE HEALTH HAZARDS:

May cause eye irritation in the event that contact with product occurs. Ingestion of large quantities may produce temporary gastrointestinal disturbance and diarrhea. Ingestion may also produce signs and symptoms of alcohol intoxication. Overexposure may cause skin irritation.

CHRONIC HEALTH HAZARDS:

None anticipated

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

None known.

SECTION 12: ECOLOGICAL INFORMATION

Contact with the environment should be avoided. Spills and leaks should be immediately cleaned up and removed. All precautions should be taken to prevent contact with the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: According to 40 CFR Section 261.21(a)(1), the characteristic of ignitability will not apply to an aqueous solution that contains less than 24 percent alcohol and which has a flash point less than 60 degrees Celsius. Products associated with this documentation have been previously assessed to ensure applicability of this rule. Follow all local governmental requirements intended for disposal.

RCRA HAZARD CLASS: EXEMPT (see above)



SECTION 14: TRANSPORT INFORMATION

North American Ground Transportation

In accordance with US Department of Transportation 49 CFR 173.150(e), products associated with this document have been determined to contain at least 50% water and <24% alcohol by volume, therefore these materials are exempt from the US DOT Hazardous Materials Shipping Regulations.

- In Consumer Packaging: EXEMPT
- OTHER THAN CONSUMER PACKAGING : EXEMPT

Transport Via Water

Products associated with this data sheet have been previously determined to be in accordance with the International Maritine Dangerous Goods Code Special Provision 144. Since the products associated with this document have been determined to be aqueous solutions containing <24% alcohol by volume, these materials are exempt from the IMDG Code.

- In Consumer Packaging: EXEMPT
- OTHER THAN CONSUMER PACKAGING: EXEMPT

Transport Via Air (International)

Products associated with this data sheet have been previously determined to be in accordance with the International Air Transport Association Dangerous Goods Regulations Special Provision A58. Since the products associated with this document have been determined to be aqueous solutions containing <24% alcohol by volume, these materials are exempt from the IATA DGR.

- In Consumer Packaging: EXEMPT
- OTHER THAN CONSUMER PACKAGING: EXEMPT

Please be aware of carrier transport variations before shipping hazardous materials.

SECTION 15: REGULATORY INFORMATION

National Fire Protection Association Codes:Health: 2Fire: 3Reactivity: 0Other:NoneHazardous Materials Identification System:Class B Division 2 Flammable LiquidOccupational Safety and Health Administration:Flammable Liquid, Eye irritant, Possible Skin irritantUS DOT/ICAO/IMDG:See section 14 above

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: This is an initial document referencing only creams, lotions and gels containing <24% alcohol. This document replaces a previous reference combining all products containing <24% alcohol and subject to associated exemptions dated December 18, 2003.

Author: Chandra L. Jennings