

COLLINS & AIKMAN FLOORCOVERING INCORPORATED -- C-36 E FLOOR PRIMER -- 8010-00N084885

===== Product Identification =====

Product ID:C-36 E FLOOR PRIMER
MSDS Date:01/01/1998
FSC:8010
NIIN:00N084885
Status Code:A
MSDS Number: CJJSZ
=== Responsible Party ===
Company Name:COLLINS & AIKMAN FLOORCOVERING INCORPORATED
Address:1000 VISTA DRIVE
Box:1447
City:DALTON
State:GA
ZIP:30721
Country:US
Info Phone Num:706-259-9711
Emergency Phone Num:800-424-9300;202-483-7616
Chemtrec Ind/Phone:(800)424-9300
CAGE:0YF79

===== Contractor Identification =====

Company Name:COLLINS & AIKMAN FLOORCOVERINGS INCORPORATED
Address:1000 VISTA DRIVE
Box:1447
City:DALTON
State:GA
ZIP:30721
Country:US
Phone:706-259-9711
CAGE:0YF79

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN AND EYES: MAY PRODUCE
SLIGHT TRANSIENT IRRITATION TO THE EYES.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE
OXYGEN/ARTIFICIAL RESPIRATION) . INGESTION: CALL MD IMMEDIATELY .
EYES: FLUSH ANY EYE CONTACT WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES. SKIN: WASH WITH SOAP AND WATER. REFER TO PHYSICIAN IF
IRRITATION DEVELOPS OR SYMPTOMS PERSIST.

===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>93.3C, 200.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS IN A FIRE MAY RUPTURE DUE TO PRESSURE BUILD UP; USE WATER TO COOL CONTAINERS TO PREVENT THIS.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL, PREVENTING IT FROM ENTERING SEWER LINES OR WATERWAYS. USE ABSORBENT TO ASSIST WITH THE PICK-UP MATERIAL. SCRAPE UP PRODUCT AND PLACE INTO CONTAINER. RESIDUAL OF PRODUCT, WHILE STILL WET , CAN BE CLEANED UP WITH WARM SOAPY WATER.

===== Handling and Storage =====

Handling and Storage Precautions:USE & STORE IN COOL, DRY, WELL-VENTILATED AREA AWAY FROM INCOMPATIBLE MATLS. RECOMMENDED STORAGE TEMP IS BELOW 90F. FOR 24 HRS BEFORE INSTALLATION, STORAGE TEMPERATURE SHOULD BE 65-85F.
Other Precautions:PROTECT FROM FREEZING. CLOSE CONTAINER AFTER EACH USE. MINIMIZE SKIN CONTACT & BREATHING OF VAPORS. KEEP OUT OF REACH OF CHILDREN. SHELF LIFE IS ONE YEAR. WORK SITE ENVIRONMENT: INITIALLY THERE MAY BE A POTNTL ADVERSE IMPACT ON INDOOR AIR QUALITY W/IN GENERAL WORK AREA DURING INSTALLATION PROCESS. (SUPDAT)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SHOULD NOT BE REQUIRED. NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:NORMAL, AMBIENT VENTILATION SHOULD BE SUFFICIENT.
Protective Gloves:LATEX OR RUBBER GLOVES.
Eye Protection:ANSI APPROVED CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER . IT IS ALWAYS A GOOD SAFETY PRACTICE TO AVOID CONTACT W/EYES & PROLONGED CONTACT WITH SKIN.
Supplemental Safety and Health
OTHER PROC: THEREFORE YOU SHOULD ADVISE BUILDING MANAGE/OTHER APPROP PERSON THAT: IT WILL BE NEC TO ESTABLISHED & MAINTAIN ADEQ VENT OF WORK AREA, W/OUT CAUSING THE ENTRY OF CONTAMINANTS TO OTHER PART S OF BUILDING; AND PERSONS WHO ARE SENSITIVE TO ODORS AND/OR CHEMS SHOULD BE ADVISED TO AVOID WORK AREA DURING PROCESS.

===== Physical/Chemical Properties =====

Boiling Pt:=100.C, 212.F
Vapor Density:LTR/AIR
Spec Gravity:1.02
pH:9.75
Evaporation Rate & Reference:WATER
Solubility in Water:DISPERSIBLE
Appearance and Odor:MILKY BLUE LIQUID. SLIGHT AMMONIA ODOR.
Percent Volatiles by Volume:85 BY WT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, AND

OTHER TOXIC VAPORS AND GASES THAT ARE COMMON TO THERMAL DEGRADATION OF ORGANIC COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF CONTAINER AND ANY UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL WASTE DISPOSAL REGULATIONS. DO NOT FLUSH UNUSED CONTENTS OR RESIDUE DOWN DRAINS. DO NOT REUSE CONTAINER.

===== Regulatory Information =====

SARA Title III Information:THIS PRODUCT DOES NOT CONTAIN CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF SARA TITLE III AND 40 CFR 372.

Federal Regulatory Information:ALL COMPONENTS ARE ON TSCA INVENTORY. THIS PRODUCT DOES NOT CONTAIN ASBESTOS. HMIS (0=MINIMAL HAZARD; 4=SEVERE HAZARD): HEALTH = 1, FLAMMABILITY = 1, REACTIVITY = 0, PPE = B.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.