Safety Data Sheet



IOI Acidchem Sdn Bhd

198301016306 (111715-H)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

Group of Chemicals:	Glycerine	SDS No.:	SDS-QC-016	
Commercial Name :	Refined Glycerine	Date Issue :	27/11/2017	
Common Name/Other	Glycerine /	Date Review:	01/11/2024	
Name:	1,2,3-Propanetriol			
SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF				
<u>SUPPLIER</u>				

Product name:

Glycerine 99.5% (USP/BP/EP), Glycerine 99.5% /MB (USP/BP/EP), Glycerine 99.7% (USP/BP/EP), Glycerine 99.7% /MB (USP/BP/EP)

Trade name

Glycerine 99.5% (USP/BP/EP), Glycerine 99.5% /MB (USP/BP/EP), Glycerine 99.7% (USP/BP/EP), Glycerine 99.7% /MB (USP/BP/EP)

Recommended uses:

Raw material for manufacturing oleochemical derivatives for Pharmaceutical, food, cosmetic and industrial use.

Supplier name:

IOI ACIDCHEM SDN BHD 2411 Lorong Perusahaan Satu, Prai Industrial Complex. 13600. Prai, Penang, Malaysia

Emergency contact:

IOI ACIDCHEM SDN BHD +604 3768888

Contact Person :

- 1) Safety and Health Manager / Officer
- 2) Quality Control Manager / Chemist

SECTION 2. HAZARDS IDENTIFICATION

Product is non-hazardous



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

General chemical description:

Glycerine, 1,2,3 – Propanetriol, formula C, H, O,

CAS-number: EINECS- number: 56-81-5 200-289-5

SECTION 4. FIRST-AID MEASURES

When inhaled:

Remove to fresh air. If suffocation is serious take to a doctor

When in contact with skin:

Use gloves Absorb water from skin/body if contacted for too long Remove contaminated clothing, wash skin with water and soap

When in contact with eyes:

Use face shield Flush with water, take to a doctor if necessary

When ingested:

Diarrhoea, headache, nausea Rinse mouth, drink plenty of water, see physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable fire-fighting agents:

Use dry powder, foam, carbon dioxide for extinguishing

Extinguishing media which must not be used for safety reasons: None

Specific hazards in the event of fire:

Combustible, keep away from open flame, no smoking

Protection of fire-fighters (use of protective equipment, etc.).: Use self-contained breathing equipment if in confined place



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

SECTION 6. ACCIDENT RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use gloves, face shield

Environmental precautions:

Do not allow to flow into drainage system.

Methods and materials for containment and cleaning up:

Collect leakage in sealable containers, soak up with sand or other inert absorbent and remove to safe place. Flush away remainder with water.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Use gloves and wear goggles when handling.

Conditions for safe storage, including any incompatibilities:

Keep in a cool and dry place, avoid extreme heat and cold.

Avoid direct fire. Keep separate from oxidants.

Store in clean, dry, preferably stainless steel vessels.

In bulk, store at ambient temperature. For pumping, heat up to above 60 deg C. Temperature higher than necessary degrades quality at rate dependent on time and temperature of exposure. Exposure to ultraviolet light, especially sunlight must be minimised to prevent quality loss.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

None

Appropriate engineering controls:

No special measures required.

Individual protection measures, such as personal protective equipment (PPE):

Immediately remove soiled or soaked clothing.

2		0
Hand protection	:	suitable protective gloves.
Eye protection	:	protective goggles.
Body protection	:	suitable protective clothing



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Colourless, hygroscopic & viscous liquid. Appearance (become very viscous at temperature -10 deg C and below) Odour Slight Milky to Odourless Odour threshold Not available Not available pН Melting point / freezing point 18 - 22 Initial boiling point and boiling range 290 - 295 °C @ 760mm Hg Flash point >180 °C Evaporation rate Not applicable Flammability (solid, gas) Not applicable Upper/lower flammability or explosive limits Not available 0.0025 mbar @ 50°C Vapour pressure Vapour density 3.2 (relative, air=1) Relative density 1.0 @ 20 °C at saturated mixture vapour/air (air=1)Solubility Infinite g/100 ml in water @ 20 °C Partition coefficient: n-octanol/water -2.6 400 °C (Cleveland closed cup) Auto-ignition temperature Decomposition temperature Not available Viscosity Not available Density @ 20 °C 1.2635 – 1.2651 g/ml Relative molecular mass 92.1

SECTION 10. STABILITY AND REACTIVITY

Reactivity:

Vapour mixes readily with air.

Chemical stability:

Able to polymerise above 149 deg C. Decomposes when heated above 290 deg C

Possibility of hazardous reactions:

None known

Conditions to avoid:

None known



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

Incompatible materials:

Reacts violently with strong oxidants

Hazardous decomposition products:

Low toxicity and not considered hazardous to human beings

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity:

LD50 (Oral, rat) = >12600 mg/kg LC50 (Inhalation, rat) = >570mg/m3/1Hr

Skin corrosion/irritation:

LD50 rabbit >10 gm/kg, not irritating (Draize test)

Serious eye damage/irritation: Not irritating (OECD 405)

Respiratory or skin sensitization: No sensitization reactions.

Germ cell mutagenicity: Not mutagenic (Ames test)

Carcinogenicity: Not available

Reproductive toxicity: Not available

STOST-single / repeated exposure: Not available

Aspiration hazard: Not available



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

Acute fish toxicity:

LC 50 > 10000 mg product/l. Carp, LC50: >1000mg/L (48h);

Acute bacteria toxicity:

EC 50 > 10000 mg product/l. Daphnia magna, EC50: >1000mg/L (3h)

Persistence and degradability: Readily biodegradable, OECD 301

Bioaccumulative potential: Log P octanol /water = -2.6

Mobility in soil: Not available

Other adverse effect: Not available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal method: Waste incineration with the approval of the responsible local authority

SECTION 14. TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None



198301016306 (111715-Н)

2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia. T : +60-4-376 8888 F : +60-4-390 7252 W : www.ioioleo.com E : sales@ioioleo.com

Transport Hazard Class:

Not hazardous according to RID/ADR, GGVS/GGVE, ADNR, IMDG, ICAO-TI/IATA-DGR.

Packing Group: None

Environmental Hazard: Marine pollutant (Yes/No): No MARPOL Annex II: Category Z

SECTION 15. REGULATORY INFORMATION

Classification and labelling according to GHS: None

Classification and labelling according to EC: None

SECTION 16. OTHER INFORMATION

Always work safely around open hatches on bulk tanks. The low density makes flotation difficult for immersed person.

Disclaimer

This Safety Data Sheet does not constitute any warranty or guarantee as to the quality, properties, condition or otherwise of the product. It has been prepared from the best knowledge available to us and we shall not be liable for any insufficiency or inaccuracy in such information in any case whatsoever.