

# SAFETY DATA SHEET

Date Prepared : 08/25/2015  
SDS No : GORM Inc\_Piranha

## Piranha Professional Stripper

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Piranha Professional Stripper  
**GENERAL USE:** Floor finish remover  
**PRODUCT DESCRIPTION:** Floor Finish Stripper  
**PRODUCT CODE:** 2913FX  
**CHEMICAL FAMILY:** Solvent/detergent blend

#### DISTRIBUTOR

GORM, Inc.  
1501 S. Hudson Ave.  
Ontario, CA 91761  
**Emergency Phone:** 909-292-1400

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEM-TEL (Medical and Transportation):** 800-255-3924  
**POISON CONTROL CENTER (Medical):** 800-222-1222

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Skin Corrosion, Category 1  
Eye Corrosion, Category 1  
Acute Toxicity (Oral), Category 4

##### Physical:

Combustible Liquid, Category 4

#### GHS LABEL



Corrosion



Exclamation  
mark

**SIGNAL WORD:** DANGER

#### HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.  
H302: Harmful if swallowed.  
H333: May be harmful if inhaled.  
H336: May cause drowsiness or dizziness.  
H227: Combustible liquid.

#### PRECAUTIONARY STATEMENT(S)

##### Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P273: Avoid release to the environment.  
P264: Wash hands thoroughly after handling.  
P234: Keep only in original packaging.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261: Avoid breathing fume, gas, mist, vapors, or spray.

##### Response:

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P310: Immediately call a POISON CENTER or doctor/physician.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P331: Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P363: Wash contaminated clothing before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

**Storage:**

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Disposal:**

P501: Dispose of contents/container according to all local, state and Federal regulations.

**EMERGENCY OVERVIEW**

**PHYSICAL APPEARANCE:** Blue liquid

**IMMEDIATE CONCERNS:** Causes irreversible eye damage and skin burns.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Corrosive, contact causes severe eye burns.

**SKIN:** Contact causes severe skin irritation and possible burns.

**SKIN ABSORPTION:** Harmful if absorbed through skin.

**INGESTION:** Harmful if swallowed.

**INHALATION:** High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

**REPRODUCTIVE TOXICITY**

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TERATOGENIC EFFECTS:** No listed substance

**CARCINOGENICITY:** Not Established

**MUTAGENICITY:** No known significant effects or critical hazards.

**ROUTES OF ENTRY:** Eye, skin, ingestion, Inhalation.

**TARGET ORGAN STATEMENT:** Blood, kidney, liver, Central nervous system

**CANCER STATEMENT:** None

**SENSITIZATION:** No known significant effects or critical hazards.

**WARNING CAUTION LABELS:** Corrosive

**PHYSICAL HAZARDS:** Combustible material.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	20 - 30	111-76-2
Monoethanolamine	0 - 5	141-43-5
Potassium Hydroxide	0 - 5	1310-58-3
Fragrance	< 1	N/A
Dye	< 0.1	N/A
Water	50 - 60	7732-18-5

**4. FIRST AID MEASURES**

**EYES:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present,

after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

**SKIN:** Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

#### **SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** Severe burning sensation, damage marked by burns.

**SKIN:** Burning sensation, redness.

**SKIN ABSORPTION:** Not Established

**INGESTION:** Irritation of mouth, throat, along with stomach upset, vomiting.

**INHALATION:** Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

**ACUTE TOXICITY:** Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

**CHRONIC EFFECTS:** Not Established

**NOTES TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

### **5. FIRE FIGHTING MEASURES**

**FLAMMABLE CLASS:** IIIA (140-200F)

**GENERAL HAZARD:** Combustible Liquid

**EXTINGUISHING MEDIA:** Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

**HAZARDOUS COMBUSTION PRODUCTS:** Alkaline vapors.

**EXPLOSION HAZARDS:** Fire exposed containers may burst due to increased pressure from heat.

**FIRE FIGHTING PROCEDURES:** Use an extinguishing agent suitable for surrounding fire.

**FIRE FIGHTING EQUIPMENT:** No special requirements.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Not Established

### **6. ACCIDENTAL RELEASE MEASURES**

**SMALL SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

**LARGE SPILL:** Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

#### **ENVIRONMENTAL PRECAUTIONS**

**WATER SPILL:** Avoid discharges into open waterways.

**LAND SPILL:** Avoid discharge to soil.

**AIR SPILL:** NA = Not Applicable

**GENERAL PROCEDURES:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

**RELEASE NOTES:** Eliminate all ignition sources. Ventilate area well.

**SPECIAL PROTECTIVE EQUIPMENT:** Eye protection, rubber gloves, rubber boots to protect feet.

### **7. HANDLING AND STORAGE**

**GENERAL PROCEDURES:** Close container after use.

**HANDLING:** Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

**STORAGE:** Store in closed container away from heat, spark or open flame.

**STORAGE TEMPERATURE:** (40°F) Minimum to (110°F) Maximum

**STORAGE PRESSURE:** Store at ambient atmospheric pressure.

### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

## EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethylene glycol butyl ether	TWA	50	240	20	97	NL	NL
	STEL					NL	NL
Monoethanolamine	TWA	3	6	3	7.5	NL	NL
	STEL			6	15	NL	NL
Potassium Hydroxide	TWA		2 mg/m <sup>3</sup>				
	STEL				2 mg/m <sup>3</sup>		

**ENGINEERING CONTROLS:** Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Chemical splash goggles and full face-shield.

**SKIN:** Rubber or other chemical resistant gloves.

**RESPIRATORY:** A respirator is not needed under normal and intended conditions of product use.

**PROTECTIVE CLOTHING:** Protective footwear (rubber boots) should be worn when using product for its intended use.

**WORK HYGIENIC PRACTICES:** Wash with soap and water after handling. Do not eat, drink or smoke while using product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Solvent, characteristic

**ODOR THRESHOLD:** Not Established

**COLOR:** Blue

**pH:** 13.0 to 14.0

**PERCENT VOLATILE:** >90

**FLASH POINT AND METHOD:** 67°C (153°F) Tag Closed Cup (TCC)

**FLAMMABLE LIMITS:** 1.3 to 10.6

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**VAPOR PRESSURE:** ~ 0.9 mm Hg at 20°C (68°F)

**VAPOR DENSITY:** > 1 Air = 1

**BOILING POINT:** 212° F; 100° C

**FREEZING POINT:** 32° F; 0° C

**MELTING POINT:** Not Available

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Complete

**EVAPORATION RATE:** (Water =1) 1.0

**DENSITY:** 8.43 at 20°C (68°F)

**SPECIFIC GRAVITY:** ~ 1.01 grams/ml.

**VISCOSITY:** Water thin.

**(VOC):** 31.600 % by weight

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable

**HAZARDOUS POLYMERIZATION:** Will not occur.

**STABILITY:** Stable under normal storage and use conditions.

**CONDITIONS TO AVOID:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**INCOMPATIBLE MATERIALS:** Strong acids, oxidizers.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Ethylene glycol butyl ether	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l
Monoethanolamine	1089 mg/kg (rat)	2504 mg/kg (rabbit)	~ 1.48 mg/l
Potassium Hydroxide	273 mg/kg (rat)	N/A	

**EYES:** Corrosive

**DERMAL LD<sub>50</sub>:** > 2000 mg/kg guinea pig

**SKIN ABSORPTION:** Not Established

**ORAL LD<sub>50</sub>:** ~ 1300 mg/kg Male and Female rats.

**INHALATION LC<sub>50</sub>:** > 3.1 mg/L (vapor) Guinea pig

**EYE EFFECTS:** Corrosive to eyes. Permanent damage may occur.

**SKIN EFFECTS:** Corrosive to skin.

### CARCINOGENICITY

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethylene glycol butyl ether	No listed substance	Group 3 - Not classifiable as to its carcinogenicity to Humans	No listed substance

### IARC:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

**IRRITATION:** Irritant

**CORROSIVITY:** Corrosive

**SENSITIZATION:** No products were found.

**NEUROTOXICITY:** Central nervous system effects marked by dizziness, headache, nausea, unconsciousness.

**GENETIC EFFECTS:** No known significant effects or critical hazards.

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TARGET ORGANS:** May cause damage to blood, Kidney, liver with prolonged or repeated exposure to high concentrations of vapors.

**MUTAGENICITY:** No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Not Established

**ECOTOXICOLOGICAL INFORMATION:** No known significant effects or critical hazards noted.

**BIOACCUMULATION/ACCUMULATION:** Not Established

**AQUATIC TOXICITY (ACUTE):** No known significant effects or critical hazards.

**96-HOUR LC<sub>50</sub>:** Not Established

**96-HOUR EC<sub>50</sub>:** Not Established

**Notes:** Practically nontoxic

**CHEMICAL FATE INFORMATION:** This product is biodegradable.

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitability and corrosivity as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

**FOR LARGE SPILLS:** Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** Small quantities (less than 1 gallon) of used material may be flushed to sanitary sewer with copious amounts of water. Larger quantities must be disposed of by a licensed disposal company.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

**RCRA/EPA WASTE INFORMATION:** Ignitability, corrosive

**RCRA HAZARD CLASS:** Not yet Determined

### 14. TRANSPORT INFORMATION

#### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Compound, Cleaning Liquid

**TECHNICAL NAME:** Potassium Hydroxide Solution

**PRIMARY HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** 1760

**PACKING GROUP:** III

**PLACARDS:** Corrosive

**LABEL:** Certain package sizes determine the proper labeling of containers. Consult manufacturer for specific information regarding proper labeling.

**OTHER SHIPPING INFORMATION:** Certain shipping modes and packaging sizes may have exceptions from the transport regulations. The classifications/information provided above may not reflect applicable exceptions. Contact the manufacturer for more specific information on the proper shipping of this material.

**SPECIAL SHIPPING NOTES:** Quantities less than or equal to one (1) gallon = Limited Quantity not regulated.

#### AIR (ICAO/IATA)

**SHIPPING NAME:** Not Established

#### VESSEL (IMO/IMDG)

**SHIPPING NAME:** Corrosive liquid, basic, inorganic, n.o.s.

**TECHNICAL NAME:** Potassium Hydroxide Solution

**UN/NA NUMBER:** 3264

**PRIMARY HAZARD CLASS/DIVISION:** 8

**PACKING GROUP:** III

**PLACARDS:** Corrosive

**LABEL:** Corrosive

### 15. REGULATORY INFORMATION

**UNITED STATES**

**DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**



Corrosive



Limited  
Quantity  
Ground

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**311/312 HAZARD CATEGORIES:** Health - Acute

**FIRE:** Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes

**313 REPORTABLE INGREDIENTS:** 2-butoxyethanol 111-76-2 (Category: N230 Certain Glycol Ethers)

**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	20 - 30	111-76-2

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** No listed substance

**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)**

Chemical Name	Wt.%	CERCLA RQ
Potassium Hydroxide	0 - 5	1,000

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

**TSCA REGULATORY:** All ingredients are listed on the TSCA Chemical Inventory.

**STATES WITH SPECIAL REQUIREMENTS**

Chemical Name	Requirements
Ethylene glycol butyl ether	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance
Monoethanolamine	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance
Potassium Hydroxide	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance Rhode Island Right to Know Substance

**CALIFORNIA PROPOSITION 65:** No listed substance

**CARCINOGEN:**

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).


**16. OTHER INFORMATION**

**PREPARED BY:** Regulatory Affairs Dept. **Date Prepared:** 08/25/2015

### HMIS RATING

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	D

### NFPA CODES



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.