

Safety Data Sheet: MICRO-COVER - WHITE AEROSOL

Supersedes Date 03/28/2014

Issuing Date 01/02/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MICRO-COVER - WHITE AEROSOL

Recommended use Solvent-borne coatings

Information on Manufacturer

NATIONAL CHEMSEARCH

245 ORENDA RD

BRAMPTON ONT L6T 1E7

Product Code 5045

Chemical nature Solvent mixture

Emergency Telephone Number

CHEMTREC® 800-424-9300

Telephone inquiry

972-579-2477

2. HAZARD IDENTIFICATION

Color White

Physical State Liquid

Odor Aromatic

GHS

Classification

Physical Hazards

Flammable aerosols

Gases under pressure

Category 1

Compressed Gas

Health Hazard

Acute Inhalation Toxicity - Gas

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Reproductive Toxicity

Carcinogenicity

Specific target organ systemic toxicity (single exposure)

Specific target organ systemic toxicity (repeated exposure)

Category 4

Category 4

Category 2

Category 2A

Category 1A

Category 2

Category 2

Category 3

Category 2

Other hazards

None

Labeling

Signal Word

DANGER



Hazard Statements

H222 - Extremely flammable aerosol

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

H340 - May cause genetic defects

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H280 - Contains gas under pressure; may explode if heated

Precautionary Statements

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, sparks, open flames or hot surfaces.

P251 - Pressurized container: Do not pierce or burn, even after use

P260 - Do not breathe gas, vapor or mist.

P271 - Use in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a physician if unwell.

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs, get medical attention.

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents and container in accordance with applicable regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Propane	74-98-6	10-30
Toluene	108-88-3	10-30
Butane	106-97-8	7-13
Titanium dioxide	13463-67-7	7-13
Solvent naphtha (petroleum), light aliphatic	64742-89-8	5-10
Calcium carbonate	1317-65-3	5-10
Mineral spirits	64742-47-8	1-5
Xylenes (o-, m-, p- isomers)	1330-20-7	1-5
Propylene glycol monomethyl ether acetate	108-65-6	1-5

4. FIRST AID MEASURES

General advice	Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation	Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. Get medical attention immediately.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person. Rinse mouth.
Notes to physician	Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways. May cause cardiac arrhythmia.

5. FIRE-FIGHTING MEASURES

Flash Point	-2 °F / -19 °C	Method	Seta closed cup
Flammability Limits in Air % Mixture.		Upper 10.9	Lower 1.5
Suitable Extinguishing Media	Dry chemical. Water spray. Carbon dioxide (CO ₂).		
Specific hazards arising from the chemical	Extremely flammable. Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Flame extension: 30 inches / 75 cm and Burnback: 5.5 inch / 14 cm. Material can create slippery conditions.		
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear		
Aerosol Level (NFPA 30B) -	2		
NFPA	Health 2	Flammability 4	Instability 0
HMIS	Health 2	Flammability 4	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Keep away from open flames, hot surfaces and sources of ignition. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing.			
Storage	Keep away from heat and sources of ignition. Keep in a dry, cool and well-ventilated place.			
Storage Temperature	Minimum	35 °F / 2 °C	Maximum	120 °F / 49 °C
Storage Conditions	Indoor	X	Outdoor	Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Propane	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³	2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
Toluene	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	500 ppm STEL 150 ppm STEL 560 mg/m ³ TWA: 100 ppm TWA: 375 mg/m ³
Butane	STEL: 1000 ppm	No data available	TWA: 800 ppm TWA: 1900 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	5000 mg/m ³
Calcium carbonate	No data available	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Xylenes (o-, m-, p- isomers)	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm TWA: 435 mg/m ³	No data available

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection

Tightly fitting safety goggles.

Skin Protection

Wear suitable protective clothing, Impervious gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Viscosity	Semi-viscous
Color	White	Odor	Aromatic
Odor Threshold	Not applicable	Appearance	Opaque
pH	Not applicable	Specific Gravity	0.85
Evaporation Rate	No data available	Percent Volatile (Volume)	>57
VOC Content (%)	57	VOC Content (g/L)	571.9
Vapor Pressure	No information available	Vapor Density	No information available
Solubility	No information available	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	-47 °F / -44 °C	Flammability (solid, gas)	No data available
Flash Point	-2 °F / -19 °C	Method	Seta closed cup
Autoignition Temperature	No information available.		
Flammability Limits in Air %	Mixture.	Upper 10.9 Lower 1.5	

10. STABILITY AND REACTIVITY

Chemical Stability

Stable. Hazardous polymerization does not occur.

Conditions to Avoid

Keep away from open flames, hot surfaces, and sources of ignition, Heat, flames, and sparks.

Incompatible Products

None known

Hazardous Decomposition Products

None known

Possibility of Hazardous Reactions

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50	2460
Dermal LD50	4,065.89
Inhalation LC50	
Gas	17,652.50
Mist	29.74
Vapor	29.74

Principle Route of Exposure

Eye contact, Skin contact, Inhalation.

Primary Routes of Entry

Inhalation, Skin Absorption.

Acute Effects**Eyes**

Severe irritation.

Skin

Causes skin irritation. May be absorbed through the skin in harmful amounts.

Inhalation

Causes respiratory tract irritation. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Irregular cardiac activity.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

Chronic Toxicity

May cause damage to the kidneys/liver/eyes/brain/respiratory system/central nervous system if inhaled. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. Repeated and prolonged exposure to solvents may cause brain and nervous system damage. Contains a known or suspected reproductive toxin. Contains a known or suspected carcinogen.

Target Organ Effects

Central nervous system, Reproductive System, Peripheral Nervous System (PNS), Heart, Liver, Lungs, and Kidneys, Eyes, Ears.

Aggravated Medical Conditions

Neurological disorders, Liver disorders, Kidney disorders, Respiratory disorders, Heart disease, Skin disorders.

Component Information**Acute Toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Propane	no data available	no data available	= 658 mg/L (Rat) 4 h	no data available	no data available
Toluene	= 636 mg/kg (Rat)	= 8390 mg/kg (Rabbit) = 12124 mg/kg (Rat)	= 12.5 mg/L (Rat) 4 h > 26700 ppm (Rat) 1 h	no data available	no data available
Butane	no data available	no data available	= 658 g/m ³ (Rat) 4 h	no data available	no data available
Titanium dioxide	> 10000 mg/kg (Rat)	no data available	no data available	no data available	no data available
Solvent naphtha (petroleum), light aliphatic	no data available	= 3000 mg/kg (Rabbit)	no data available	no data available	no data available
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Mineral spirits	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	no data available	no data available
Xylenes (o-, m-, p- isomers)	= 4300 mg/kg (Rat)	> 1700 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h > 5.04 mg/L (Rat) 4 h	no data available	no data available
Propylene glycol monomethyl ether acetate	= 8532 mg/kg (Rat)	> 5 g/kg (Rabbit)	no data available	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Propane	no data available	no data available	no data available	no data available	CNS, heart
Toluene	no data available	no data available	yes	yes	CNS, eyes, kidneys, liver, respiratory system, skin, reproductive system
Butane	no data available	no data available	no data available	no data available	CNS, heart
Titanium dioxide	no data available	no data available	no data available	no data available	respiratory system
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Xylenes (o-, m-, p- isomers)	no data available	no data available	yes	no data available	heart, lung, CNS, PNS, respiratory system, ears, liver, kidney

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Other
Toluene	not applicable	Group 3	not applicable	not applicable	not applicable
Titanium dioxide	A4	Group 2B	not applicable	X	not applicable
Xylenes (o-, m-, p- isomers)	not applicable	Group 3	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION**Product Information**

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Propane	no data available	no data available	no data available	no data available	2.3
Toluene	EC50 = 12.5 mg/L Pseudokirchneriella subcapitata 72 h EC50 > 433 mg/L Pseudokirchneriella subcapitata 96 h	LC50 11.0 - 15.0 mg/L Lepomis macrochirus 96 h LC50 14.1 - 17.16 mg/L Oncorhynchus mykiss 96 h LC50 15.22 - 19.05 mg/L Pimephales promelas 96 h LC50 5.89 - 7.81 mg/L	EC50 = 19.7 mg/L 30 min	5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50	2.65

		Oncorhynchus mykiss 96 h LC50 50.87 - 70.34 mg/L Poecilia reticulata 96 h LC50 = 12.6 mg/L Pimephales promelas 96 h LC50 = 28.2 mg/L Poecilia reticulata 96 h LC50 = 5.8 mg/L Oncorhynchus mykiss 96 h LC50 = 54 mg/L Oryzias latipes 96 h			
Butane	no data available	no data available	no data available	no data available	2.89
Solvent naphtha (petroleum), light aliphatic	EC50 = 4700 mg/L Pseudokirchneriella subcapitata 72 h	no data available	no data available	no data available	N/A
Mineral spirits	no data available	LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h LC50 = 45 mg/L Pimephales promelas 96 h	no data available	no data available	N/A
Xylenes (o-, m-, p- isomers)	EC50 = 11 mg/L Pseudokirchneriella subcapitata 72 h	LC50 13.1 - 16.5 mg/L Lepomis macrochirus 96 h LC50 13.5 - 17.3 mg/L Oncorhynchus mykiss 96 h LC50 2.661 - 4.093 mg/L Oncorhynchus mykiss 96 h LC50 23.53 - 29.97 mg/L Pimephales promelas 96 h LC50 30.26 - 40.75 mg/L Poecilia reticulata 96 h LC50 7.711 - 9.591 mg/L Lepomis macrochirus 96 h LC50 = 13.4 mg/L Pimephales promelas 96 h LC50 = 19 mg/L Lepomis macrochirus 96 h LC50 = 780 mg/L Cyprinus carpio 96 h LC50 > 780 mg/L Cyprinus carpio 96 h	EC50 = 0.0084 mg/L 24 h	0.6: 48 h Gammarus lacustris mg/L LC50 3.82: 48 h water flea mg/L EC50	3.15
Propylene glycol monomethyl ether acetate	no data available	LC50 = 161 mg/L Pimephales promelas 96 h	no data available	500: 48 h Daphnia magna mg/L EC50	0.43

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Contents under pressure. Do not puncture. Empty remaining contents. Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION**DOT****Proper Shipping Name**

Consumer commodity

Hazard Class

ORM-D

Description

Consumer commodity ,ORM-D,

TDG**Proper shipping name**

Aerosols

Hazard Class

2.1

UN-No

UN1950

ICAO**UN-No**

UN1950

Proper Shipping Name

Aerosols

Hazard Class

2.1

Shipping Description

UN1950, AEROSOLS, 2.1, Limited Quantity

IATA

UN-No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
ERG Code	10L
Shipping Description	UN1950, AEROSOLS, FLAMMABLE, 2.1, Limited Quantity

IMDG/IMO

Proper Shipping Name	Aerosols
Hazard Class	2.1
UN-No	UN1950
EmS No.	F-D, S-U
Shipping Description	UN1950, AEROSOLS, 2.1, Limited Quantity

15. REGULATORY INFORMATION

Inventories

TSCA	Does not Comply
DSL	Does not Comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Toluene	108-88-3	10-30	1.0
Xylenes (o-, m-, p- isomers)	1330-20-7	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	Yes	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Toluene	1000 lb	Not applicable
Xylenes (o-, m-, p- isomers)	100 lb	Not applicable

16. OTHER INFORMATION

Prepared By	Adrienne McKee
Supersedes Date	03/28/2014
Issuing Date	01/02/2015
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

NATIONAL CHEMSEARCH assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.