


### 1. Product and Company Identification

**Product Name** LYSOL® IC™ Disinfectant Spray (Aerosol)  
**UPC CODES** Refer to Section 16  
**CAS #** Mixture  
**Product use** Disinfectant  
**Distributed by** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-228-4722  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	3
Physical Hazard	0
Personal Protection	A



### 2. Hazards Identification

#### Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

#### CAUTION

Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### PHYSICAL HAZARDS: FLAMMABLE CONTENTS UNDER PRESSURE.

Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

KEEP OUT OF REACH OF CHILDREN.

#### Potential short term health effects

##### Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

##### Eyes

Causes moderate eye irritation.

##### Skin

None expected during normal conditions of use.  
Not expected to be a skin sensitizer.

##### Inhalation

None expected during normal conditions of use.  
Susceptible individuals may experience dizziness, drowsiness, nausea and vomiting if exposed to extremely high concentrations of the vapors.

##### Ingestion

Ingestion of small quantities is not expected to cause any significant adverse effects.

##### Target organs

Blood. Eyes. Liver. Respiratory system. Skin.

##### Chronic effects

The finished product is not expected to have chronic health effects.

##### Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	40 - 60
Butane	106-97-8	1 - 5
Propane	74-98-6	1 - 5
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate	Not Applicable	0 - 0.1

### 4. First Aid Measures

#### First aid procedures

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin contact** In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water.

**Inhalation** Remove to fresh air. If irritation persists or there is any trouble breathing, get immediate medical attention.

**Ingestion** Rinse mouth and drink a glass of water. If symptoms persist, consult a physician. NEVER give an unconscious person anything to ingest.

**Notes to physician** Contains denatured ethanol; ingestion may result in ethanol poisoning. Symptoms may be delayed.

**General advice** Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### 5. Fire Fighting Measures

**Flammable properties** Flammable aerosol by flame projection test. Aerosol flame extension: > 18 inches (45 cm). Containers may explode when heated.

#### Extinguishing media

**Suitable extinguishing media** Water spray. Foam. Dry chemical. Carbon dioxide.

**Unsuitable extinguishing media** Not available

#### Protection of firefighters

**Specific hazards arising from the chemical** Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

**Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.

**Hazardous combustion products** May include and are not limited to: Oxides of carbon.

#### Explosion data

**Sensitivity to mechanical impact** Not available

**Sensitivity to static discharge** Not available

### 6. Accidental Release Measures

**Personal precautions** Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

**Methods for containment** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

**Methods for cleaning up** Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

## 7. Handling and Storage

<b>Handling</b>	<p>CAUTION Causes moderate eye irritation. FLAMMABLE CONTENTS UNDER PRESSURE.</p> <p>Do not spray in eyes, on skin or on clothing. When using do not eat or drink. Wash hands before breaks and immediately after handling the product. Always replace cap after use. Do not use on polished wood, leather, rayon fabrics, or acrylic plastics.</p>
<b>Storage</b>	<p>Store in original container in areas inaccessible to small children. Keep securely closed. Exposure to temperatures above 130°F (54.4°C) or in sun or discarding can in fire or incinerator may cause bursting. Do not contaminate water, food or feed by storage or disposal. Keep away from heat, open flames or other sources of ignition.</p> <p>It is a violation of Federal law to use this product in a manner inconsistent with its labeling.</p>

## 8. Exposure Controls / Personal Protection

### Exposure limits

Ingredient(s)	Exposure Limits
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate	<p><b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established</p>
Butane	<p><b>ACGIH-TLV</b> TWA: 1000 ppm <b>OSHA-PEL</b> Not established</p>
Ethanol	<p><b>ACGIH-TLV</b> TWA: 1000 ppm STEL: 1000 ppm <b>OSHA-PEL</b> TWA: 1000 ppm</p>
Propane	<p><b>ACGIH-TLV</b> TWA: 1000 ppm <b>OSHA-PEL</b> TWA: 1000 ppm</p>

### Engineering controls

General ventilation normally adequate.

### Personal protective equipment

#### Eye / face protection

Not normally required when used as directed. Avoid contact with eyes. Emergency responders should wear full eye and face protection.

#### Hand protection

Not normally required when used as directed. Avoid contact with the skin. Emergency responders should wear impermeable gloves.

#### Skin and body protection

As required by employer code.

#### Respiratory protection

Not normally required if good ventilation is maintained. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

---

## 9. Physical and Chemical Properties

---

Appearance	Aerosol.
Color	Clear, Slight yellow
Form	Misty spray
Odor	Fresh.
Odor threshold	Not available
Physical state	Gas
pH	10 (Basic)
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	3.3
Flammability limits in air, upper, % by volume	19
Vapor pressure	95 - 105 psig
Vapor density	> 1
Specific gravity	0.835 @ 25°C
Octanol/water coefficient	Not available
Solubility (H <sub>2</sub> O)	Complete
VOC (Weight %)	Not available
Viscosity	Not available
Percent volatile	Not available

---

## 10. Stability and Reactivity

---

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, open flames, static discharge, sparks and other ignition sources. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with other chemicals.
Incompatible materials	Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

---

## 11. Toxicological Information

---

### Component analysis - LC50

Ingredient(s)	LC50
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate	Not available

Butane	658 mg/l/4h rat
--------	-----------------

Ethanol	31623 ppm rat
---------	---------------

Propane	Not available
---------	---------------

### Component analysis - Oral LD50

Ingredient(s)	LD50
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate	Not available

Butane	Not available
--------	---------------

Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
---------	----------------------------------

Propane	Not available
---------	---------------

---

## Effects of acute exposure

<b>Eye</b>	Causes moderate eye irritation.
<b>Skin</b>	None expected during normal conditions of use. Not expected to be a skin sensitizer.
<b>Inhalation</b>	None expected during normal conditions of use. Susceptible individuals may experience dizziness, drowsiness, nausea and vomiting if exposed to extremely high concentrations of the vapors.
<b>Ingestion</b>	Ingestion of small quantities is not expected to cause any significant adverse effects.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.
<b>ACGIH - Threshold Limit Values - Carcinogens</b>	
Ethanol	64-17-5      A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Synergistic Materials</b>	Not available

---

## 12. Ecological Information

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns.	
<b>Ecotoxicity - Freshwater Fish Species Data</b>		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L [flow-through]
<b>Ecotoxicity - Water Flea Data</b>		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Persistence / degradability</b>	Not available	
<b>Bioaccumulation / accumulation</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Chemical fate information</b>	Not available	

---

## 13. Disposal Considerations

<b>Waste codes</b>	Not available
<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations. Review federal, state, and local government requirements prior to disposal. Do not puncture or incinerate container. To avoid waste, use all material in this container according to label directions. IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.1 Re-Classed as Consumer  
Commodity ORM-D

### Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, Class 2.1 Re-Classed as Consumer  
Commodity/LTD. QTY.

### IMDG (Marine Transport)

UN 1950, Aerosols, Flammable, Limited Quantity

### IATA/ICAO (Air)

UN 1950, Aerosols, Flammable, Limited Quantity

---

## 15. Regulatory Information

---

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
**Product Registration:** Registered with EPA, EPA Reg. No. 777-99-675

### Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200 hazardous chemical** Yes

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Butane	106-97-8	Present
--------	----------	---------

#### U.S. - Massachusetts - Right To Know List

Butane	106-97-8	Present
Ethanol	64-17-5	Teratogen
Propane	74-98-6	Present

#### U.S. - Minnesota - Hazardous Substance List

Butane	106-97-8	Present
Ethanol	64-17-5	Present
Propane	74-98-6	Simple asphyxiant

#### U.S. - New Jersey - Right to Know Hazardous Substance List

Butane	106-97-8	sn 0273
Ethanol	64-17-5	sn 0844
Propane	74-98-6	sn 1594

#### U.S. - Pennsylvania - RTK (Right to Know) List

Butane	106-97-8	Present
Ethanol	64-17-5	Present
Propane	74-98-6	Present

#### U.S. - Rhode Island - Hazardous Substance List

Butane	106-97-8	Toxic; Flammable
Ethanol	64-17-5	Toxic; Flammable
Propane	74-98-6	Toxic; Flammable

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

---

### Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Further information** 36241-95029-3 - LYSOL® IC™ Disinfectant Spray (Aerosol) - 19oz. - 0271639

**Issue date** 20-Jul-2010

**Effective date** 15-Jul-2010

**Prepared by** Reckitt Benckiser Regulatory Department 800-333-3899

**Other information** For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.