SAFETY DATA SHEET



Halocarbon R-11 (Trichlorofluoromethane)

Section 1. Identification

| GHS product identifier | : Halocarbon R-11 (Trichlorofluoromethane) |
|-------------------------------|---|
| Chemical name | : trichlorofluoromethane |
| Other means of identification | : Aspen R-11; methane, trichlorofluoro-; monofluorotrichloromethane; trichlorofluoromethane; trichlorofluoro methane; freon 11; refrigerant 11; f-11; genetron 11; freon mf; nci-c04637; trichloromonofluoromethane; cfc-11; cfc 11; propellent 11; frigen 11; halon 11; fc 11; khaladon 11; kaltron 11; isotron 11; eskimon 11 |
| Product type | : Liquid. |
| Product use | : Synthetic/Analytical chemistry. |
| Synonym | Aspen R-11; methane, trichlorofluoro-; monofluorotrichloromethane; trichlorofluoromethane; trichlorofluoro methane; freon 11; refrigerant 11; f-11; genetron 11; freon mf; nci-c04637; trichloromonofluoromethane; cfc-11; cfc 11; propellent 11; frigen 11; halon 11; fc 11; khaladon 11; kaltron 11; isotron 11; eskimon 11 |
| SDS # | : 001052 |
| Supplier's details | : Airgas USA, LLC and its affiliates 259 North Radnor-Chester Road Suite 100 Radnor, PA 19087-5283 1-610-687-5253 |
| 24-hour telephone | : 1-866-734-3438 |

Section 2. Hazards identification

| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|
| Classification of the substance or mixture | : HAZARDOUS TO THE OZONE LAYER - Category 1 |
| GHS label elements | |
| Hazard pictograms | |
| | |
| Signal word | : Warning |
| Hazard statements | : Harms public health and the environment by destroying ozone in the upper atmosphere. |
| Precautionary statements | |
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Use and store only outdoors or in a well ventilated place. |
| Response | : Not applicable. |
| Storage | : Not applicable. |
| Disposal | : Refer to manufacturer or supplier for information on recovery or recycling. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Substance |
|-------------------------------|---|
| Chemical name | : trichlorofluoromethane |
| Other means of identification | Aspen R-11; methane, trichlorofluoro-; monofluorotrichloromethane; trichlorofluoromethane; trichlorofluoro methane; freon 11; refrigerant 11; f-11; genetron 11; freon mf; nci-c04637; trichloromonofluoromethane; cfc-11; cfc 11; propellent 11; frigen 11; halon 11; fc 11; khaladon 11; kaltron 11; isotron 11; eskimon 11 |
| Product code | : 001052 |

CAS number/other identifiers

| CAS number : 75-69-4 | | |
|-----------------------------|-----|------------|
| Ingredient name | % | CAS number |
| Methane, trichlorofluoro- | 100 | 75-69-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Date of issue/Date of revision | : 10/27/2017 | Date of previous issue | : No previous validation | Version :1 | 2/11 |
|--------------------------------|--------------|---------------------------------|---------------------------|------------|------|
| Eye contact | : No specif | ic data. | | | |
| <u>Over-exposure signs/syr</u> | nptoms | | | | |
| Ingestion | : No knowr | n significant effects or critic | al hazards. | | |
| Frostbite | : Try to wa | rm up the frozen tissues ar | nd seek medical attention | | |
| Skin contact | : No knowr | n significant effects or critic | al hazards. | | |
| Inhalation | : No knowr | n significant effects or critic | al hazards. | | |
| Eye contact | : No knowr | n significant effects or critic | al hazards. | | |
| Potential acute health eff | <u>ects</u> | | | | |

2/11

Section 4. First aid measures

| Inhalation | : No specific data. |
|--------------|---------------------|
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

| Indication of immediate medical attention and special treatment needed, if necessary | | |
|--|--|--|
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | |
| Specific treatments | : No specific treatment. | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. | |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds carbonyl halides |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|------|--|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities. |
| Methods and materials for co | onta | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

3/11

Section 6. Accidental release measures

| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
|-------------|---|
| | |

Section 7. Handling and storage

| Precautions for safe handling | |
|--|--|
| Protective measures | Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapor or mist. Avoid release to the environment. Refer to special instructions/safety data sheet. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. |
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------|--|
| Methane, trichlorofluoro- | ACGIH TLV (United States, 3/2017). C: 5620 mg/m ³ C: 1000 ppm NIOSH REL (United States, 10/2016). CEIL: 5600 mg/m ³ CEIL: 1000 ppm OSHA PEL (United States, 6/2016). TWA: 5600 mg/m ³ 8 hours. TWA: 1000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). CEIL: 5600 mg/m ³ CEIL: 5600 mg/m ³ |

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

4/11

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

| Date of issue/Date of revision | : 10/27/2017 | Date of previous issue | : No previous validation | Version :1 | |
|--------------------------------|--------------|------------------------|--------------------------|------------|--|
| | | Bate of providuo locad | nto providuo vandadon | | |

Section 8. Exposure controls/personal protection

| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
|------------------------|--|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

| Appearance | |
|--|--|
| Physical state | : Liquid. [COLORLESS LIQUID OR GAS WITH A CHLORINATED SOLVENT ODOR WHICH IS DETECTABLE >20 % BY VOLUME] |
| Color | : Colorless. |
| Odor | : Characteristic. |
| Odor threshold | : Not available. |
| рН | : Not available. |
| Melting point | : -111°C (-167.8°F) |
| Boiling point | : 23.7°C (74.7°F) |
| Critical temperature | : 198°C (388.4°F) |
| Flash point | : [Product does not sustain combustion.] |
| Evaporation rate | : 19.4 (butyl acetate = 1) |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : @ 70ºF (21.1ºC) 12.3 psia (85 kPa) |
| Vapor density | : 4.7 (Air = 1) |
| Specific Volume (ft ³ /lb) | : 2.5907 |
| Gas Density (lb/ft ³) | : 0.386 |
| Relative density | : 1.49 |
| Solubility | : Not available. |
| Solubility in water | : 1 g/l |
| Partition coefficient: n- octanol/water | : 2.53 |

Section 9. Physical and chemical properties

| Auto-ignition temperature | 1 | Not available. |
|---------------------------|---|----------------|
| Decomposition temperature | : | Not available. |
| Viscosity | : | Not available. |
| Flow time (ISO 2431) | : | Not available. |
| Molecular weight | : | 137.36 g/mole |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Conditions of instability | : Under normal conditions of storage and use, hazardous polymerization will not occur. |
| Hazardous polymerization | : Under normal conditions of storage and use, hazardous polymerization will not occur. |
| | |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---------------------------|----------------------|---------|------------|----------|
| Methane, trichlorofluoro- | LC50 Inhalation Gas. | Rat | 104800 ppm | 1 hours |

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Section 11. Toxicological information

Aspiration hazard

Not available.

| Information on the likely routes of exposure | : Not available. | |
|--|--|--------------|
| Potential acute health effects | | |
| Eye contact | : No known significant effects or critical hazards. | |
| Inhalation | : No known significant effects or critical hazards. | |
| Skin contact | : No known significant effects or critical hazards. | |
| Ingestion | : No known significant effects or critical hazards. | |
| Symptoms related to the phy | ical, chemical and toxicological characteristics | |
| Eye contact | : No specific data. | |
| Inhalation | : No specific data. | |
| Skin contact | : No specific data. | |
| Ingestion | : No specific data. | |
| Delayed and immediate effect | s and also chronic effects from short and long term expo | <u>osure</u> |
| Potential immediate effects | : Not available. | |
| Potential delayed effects | : Not available. | |
| <u>Long term exposure</u> | | |
| Potential immediate effects | : Not available. | |
| Potential delayed effects | : Not available. | |
| Potential chronic health eff | <u>:ts</u> | |
| Not available. | | |
| General | : No known significant effects or critical hazards. | |
| Carcinogenicity | : No known significant effects or critical hazards. | |
| Mutagenicity | : No known significant effects or critical hazards. | |
| Teratogenicity | : No known significant effects or critical hazards. | |
| Developmental effects | : No known significant effects or critical hazards. | |
| Fertility effects | : No known significant effects or critical hazards. | |
| | | |

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Section 12. Ecological information

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|---------------------------|--------|-----|-----------|
| Methane, trichlorofluoro- | 2.53 | - | low |

Mobility in soil

| Soil/water partition coefficient (Koc) | : Not available. |
|--|------------------|
| | |

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

| Ingredient | CAS # | | Reference number |
|---|---------|--------|---------------------|
| Trichloromonofluoromethane; Methane, trichlorofluoro- | 75-69-4 | Listed | U121 |

Section 14. Transport information

| | - | | • | | | | | |
|-------------------------------|----------------|----------------|----------------|----------------|----------------|--|--|--|
| | DOT | TDG | Mexico | IMDG | ΙΑΤΑ | | | |
| UN number | Not regulated. | | | |
| UN proper shipping name | - | - | - | - | - | | | |
| Transport hazard class(es) | - | - | - | - | - | | | |
| Packing group | - | - | - | - | - | | | |
| Environmental hazards | No. | No. | No. | No. | No. | | | |

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

| Additional information DOT Classification | Package subject to | <u>le quantity</u> / 2270 kg [1553.6 gal / 588 sizes shipped in quantities the RQ (reportable quanti i f package is 5000lbs or g | less than the product rep ty) transportation requirer | | | |
|--|--------------------|---|--|---------|----|-----|
| TDG Classification | : Explosive | e Limit and Limited Quan | itity Index 5 | | | |
| Date of issue/Date of revision | : 10/27/2017 | Date of previous issue | : No previous validation | Version | :1 | 8/1 |

to Annex II of MARPOL and

the IBC Code

Section 14. Transport information

| Special precautions for user | : | Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
|------------------------------|---|---|
| Transport in bulk according | : | Not available. |

Section 15. Regulatory information

| J.S. Federal regulations | : TSCA 8(a) CDR Exempt/Partial exemption | : Not determined | |
|---|---|-----------------------------|-----------------|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | | |
| Clean Air Act Section 602 Class I Substances | : Listed | | |
| Clean Air Act Section 602 Class II Substances | : Not listed | | |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed | | |
| DEA List II Chemicals (Essential Chemicals) | : Not listed | | |
| SARA 302/304 | | | |
| Composition/information | on ingredients | | |
| No products were found. | | | |
| SARA 304 RQ | : Not applicable. | | |
| <u>SARA 311/312</u> | ••• | | |
| Classification | : Refer to Section 2: Hazards Identification of t | this SDS for classification | n of substance. |
| <u>SARA 313</u> | | | |
| | Product name | CAS number | % |

| | Product name | CAS number | % |
|---------------------------------|------------------------|------------|-----|
| Form R - Reporting requirements | trichlorofluoromethane | 75-69-4 | 100 |
| Supplier notification | trichlorofluoromethane | 75-69-4 | 100 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations Massachusetts

: This material is listed.

| New York | : This material is listed. |
|------------|----------------------------|
| New Jersey | : This material is listed. |

Pennsylvania : This material is listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

| Ingredient name | Status |
|-----------------|------------------|
| CFC 11 | Annex A, Group I |

Stockholm Convention on Persistent Organic Pollutants

| Date of issue/Date of revision : 10/27/20 | 7 Date of previous issue | : No previous validation | Version : 1 | 9/11 |
|---|--------------------------|--------------------------|-------------|------|
|---|--------------------------|--------------------------|-------------|------|

Section 15. Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

| Inventory list | |
|-------------------|---|
| Australia | This material is listed or exempted. |
| Canada | This material is listed or exempted. |
| China | This material is listed or exempted. |
| Europe | This material is listed or exempted. |
| Japan | Japan inventory (ENCS): This material is listed or exempted. Japan inventory (ISHL): Not determined. |
| Malaysia | Not determined. |
| New Zealand | This material is listed or exempted. |
| Philippines | This material is listed or exempted. |
| Republic of Korea | This material is listed or exempted. |
| Taiwan | This material is listed or exempted. |
| Thailand | Not determined. |
| Turkey | Not determined. |
| United States | This material is listed or exempted. |
| Viet Nam | Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Section 16. Other information

| Procedure used to derive the classification | | | | |
|--|--|--|--|--|
| | Classification | Justification | | |
| HAZARDOUS TO THE OZO | HAZARDOUS TO THE OZONE LAYER - Category 1 | | | |
| History | | | | |
| Date of printing | : 10/27/2017 | | | |
| Date of issue/Date of revision | : 10/27/2017 | | | |
| Date of previous issue | : No previous validation | | | |
| Version | : 1 | | | |
| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations | | | |
| References | : Not available. | | | |
| Indicates information that has changed from previously issued version. | | | | |
| Other special considerations <u>Notice to reader</u> | : WARNING: Contains (Trichlorofluor health and environment by destroyin | omethane), a substance which harms the public ig ozone in the upper atmosphere. | | |

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.